



## TM EXOL PRODUCT CATALOG

[ABOUT TM EXOL](#)

[TM EXOL PRODUCTION](#)

[TM EXOL CONTACTS](#)



TM EXOL ADVANTAGE - PROFESSIONAL APPROACH IN QUALITY AND PRICE



## CAR CHEMICALS AND CAR CARE PRODUCTS

TRADE MARK «EXOL» BELONGS TO UKRAINIAN COMPANY "LYNKS LABORATORIES", WHICH IS PART OF "WALTECH" COMPANIES GROUP (WALTECH ACTIENGESELLSCHAFT, LIECHTENSTEIN, SWITZERLAND).

THE COMPANY WAS FOUNDED IN 2005. IN 2008 THE CONSTRUCTION OF THE MODERN PLANT IN STRYJ WAS FINISHED.

TM EXOL PRODUCTION CORRESPONDS TO THE QUALITY OF FOREIGN ANALOGUE. THE QUALITY IS ACHIEVED BECAUSE OF MODERN PRODUCTION, EUROPEAN RECIPES AND RELIABLE ITALIAN TARES.

TM EXOL ADVANTAGE MEANS PROFESSIONAL APPROACH IN QUALITY AND PRICE.

© EXOL 2016



TM EXOL PRODUCTION



## MACHINE GLASSWASH LIQUIDS

TM EXOL HIGHLY EFFICIENT CLEANING PRODUCTS FOR GLASS AND OPTICAL CAR INSTRUMENTS HAVE AN INNOVATIVE FORMULA, HIGHT QUALITY, SPECIAL ASSORTMENT FOR ALL SEASONS, PROFESSIONALLY CLEANS AND PROTECTS CAR'S SPARE PARTS, DO NOT CONTAIN HARMFUL SUBSTANCES.



### WINTER MACHINE GLASSWASH LIQUID -80°C

Concentrated winter screen wash fluid removes all types of dirt, grim, tar and sap from window glass. Contains anti-smear agents for clearer vision, provides antistatic properties. Does not contain methanol which makes it friendly to the paint and headlights. Leaves a pleasant scent.

The formula prevents freezing to -80°C.

Recommended concentration according to the table: 1:1 - -30°C / 1:2 - -15°C / 1:3 - -10°C.

Pack size: 1L



### WINTER MACHINE GLASSWASH LIQUID -22°C

Winter screen wash fluid removes all types of dirt, grim, tar and sap from window glass. Contains anti-smear agents for clearer vision, provides antistatic properties. Methanol, acetone and sulfuric acid free formulation. Do not damage paint, rubber and polycarbonate car details, protects windscreen wipers. Leaves a pleasant scent.

The formula prevents freezing to -22°C.

Pack size: 1L, 2L, 4L



### WINTER MACHINE GLASSWASH LIQUID -12°C

Winter screen wash fluid removes all types of dirt, grim, tar and sap from window glass. Contains anti-smear agents for clearer vision, provides antistatic properties. Methanol, acetone and sulfuric acid free formulation. Do not damage paint, rubber and polycarbonate car details, protects windscreen wipers. Leaves a pleasant scent.

The formula prevents freezing to -12°C.

Pack size: 1L, 2L, 4L



### ALL SEASONS MACHINE GLASSWASH LIQUID -5°C

All seasons screen wash can be used all year round in mild conditions. Fluid removes all types of dirt, grim, tar and sap from window glass. Contains anti-smear agents for clearer vision, provides antistatic properties. Methanol, acetone and sulfuric acid free formulation. Do not damage paint, rubber and polycarbonate car details, protects windscreen wipers. Leaves a pleasant scent.

The formula prevents freezing to -5°C.

Pack size: 1L, 2L, 4L



### SUMMER MACHINE GLASSWASH LIQUID 0°C

Summer screen wash is ready to use and can quickly remove bugs and bird droppings, all types of dirt, grim, tar and sap from window glass. Contains anti-smear agents for clearer vision, provides antistatic properties. Methanol, acetone and sulfuric acid free formulation. Do not damage paint, rubber and polycarbonate car details, protects windscreen wipers. Leaves a pleasant scent.

The formula prevents freezing to -5°C.

Pack size: 1L, 2L, 4L

PRODUCTION	TYPE OF PACK	1 PACK, ITEMS	SHELF LIFE, YEAR
MACHINE GLASSWASH LIQUID TM EXOL, 1 L	shrink film	12	3
MACHINE GLASSWASH LIQUID TM EXOL, 2 L	shrink film	8	3
MACHINE GLASSWASH LIQUID TM EXOL, 4 L	shrink film	4	3



## COOLANTS

COOLANTS TM EXOL CORRESPONDS TO THE TECHNICAL REQUIREMENTS OF AUTOMOBILE MANUFACTURERS AND CONTAINS THE MODERN SET OF ADDITIVES, WHICH PROVIDES RELIABLE PROTECTION AGAINST METAL, RADIATOR ALUMINUM ALLOYS AND RUBBER ELEMENTS CORROSION.



### TOSOL A-30M

Liquid for use in cooling systems of internal combustion engines of all modern cars, as well as a working fluid in the other heat exchangers, operated at temperatures up to -30°C. The use of a new additives complex provides extended shelf life, resistance to corrosion of metals and alloys, prevents the scale formation. Compatible with all types of coolants based on ethylene glycol.

The formula prevents freezing to -30 °C.

Use: the replacement of coolant should be performed in accordance with the operating manual of the vehicle.

Pack size: 1KG, 5KG



### TOSOL A-40M

Liquid for use in cooling systems of internal combustion engines of all modern cars, as well as a working fluid in the other heat exchangers, operated at temperatures up to -40°C. The use of a new additives complex provides extended shelf life, resistance to corrosion of metals and alloys, prevents the scale formation. Compatible with all types of coolants based on ethylene glycol.

The formula prevents freezing to -40 °C.

Use: the replacement of coolant should be performed in accordance with the operating manual of the vehicle.

Pack size: 1KG, 5KG



### ANTIFREEZE PREMIUM BLAU -35°C

High-quality antifreeze, based on the new generation additives, for use in cooling systems of internal combustion engines of all modern cars, as well as a working fluid in the other heat exchangers, operated at temperatures up to -35°C. The new formula provides extended shelf life, resistance to corrosion of metals and alloys, prevents the scale formation. Compatible with all types of coolants based on ethylene glycol.

Use: the replacement of coolant should be performed in accordance with the operating manual of the vehicle.

Pack size: 1KG, 2,2KG, 4KG



### ANTIFREEZE PREMIUM ROT -35°C

High-quality antifreeze, based on the new generation additives, for use in cooling systems of internal combustion engines of all modern cars, as well as a working fluid in the other heat exchangers, operated at temperatures up to -35°C. The new formula provides extended shelf life, resistance to corrosion of metals and alloys, prevents the scale formation. Compatible with all types of coolants based on ethylene glycol.

Use: the replacement of coolant should be performed in accordance with the operating manual of the vehicle.

Pack size: 1KG, 2,2KG, 4KG

PRODUCTION	TYPE OF PACK	1 PACK, ITEMS	SHELF LIFE, YEAR
COOLANTS TM EXOL, 1 KG	shrink film	12	5
COOLANTS TM EXOL, 4 KG/5 KG	shrink film	4	5

## CAR CARE GOODS

CAR CARE GOODS TM EXOL MEANS SPECIALLY DEVELOPED PROFESSIONAL PRODUCTS APPOINTED TO EFFICIENT CAR CARE. THE WIDE ASSORTMENT OF QUALITATIVE AND HARMLESS PRODUCTS IN COMFORTABLE BOTTLE WITH SPRAYER HELPS TO PROVIDE GOOD APPEARANCE AND LIFETIME EXTENSION FOR YOUR VEHICLE.



### CONCENTRATED CAR SHAMPOO WITH WAX (1:200)

Shampoo efficiently removes road dirt, static dust, fuel and lubricants pollution and insect remains from lacquer coating. It includes wax component "karnauba", which efficiently protects the paint and varnish coverings from atmospheric phenomena and provides the surface gloss. It does not leave stains. It is safety for metal surfaces, lacquer coating, plastic, rubber. the product could be dissolved: 25-40ml (4-5 caps) of product on 5l of warm water.

Shelf life: 5 years.

Pack size: 500 ml bottle with comfortable sprayer.



### CONCENTRATED SHAMPOO (1:200)

Shampoo efficiently removes dirt road, static dust, fuel and lubricants pollution and insect remains from lacquer coating. It does not leave stains and provides the surface gloss. It has antistatic properties, protects from dust sticking and atmospheric phenomena. It is safety for metal surfaces, lacquer coating, plastic, rubber. The product could be dissolved: 25-40ml (4-5 caps) of product on 5l of warm water.

Shelf life: 6 years.

Pack size: 500 ml bottle with comfortable sprayer.



### SALON CLEANER

Highly effective universal cleaner that safely degrades and removes dirt from textile, velour, vinyl, plastic, leather, imitation leather, metal and wooden surfaces and other materials. The cleaner leaves a pleasant scent. Thanks to an innovative form and unique component combination the product has high penetrating effect and effectively removes stains, it is easily cleans all car's parts and easily washed off. Simple and economic in usage.

Shelf life: 5 years.

Pack size: 500 ml bottle with comfortable sprayer.



### ENGINE CLEANER

The product for efficiently cleaning of lorries' and passenger cars' motors.

It cleans contamination from fuels and lubricants and from different resins' origin. It provides rapid and quality cleaning. It is safety for color.

It is used for cooled motor wash. It is safety for usage. It provides long motor life. Also it is used for prevention of motor wear due to overheating, due to the strong pollution and getting foreign substances. It is also could be used in domestic conditions.

Shelf life: 5 years.

Pack size: 500 ml bottle with comfortable sprayer.



### GLASS CLEANER

Highly effective product for car, window glass, showcase, tiles, mirrors, chrome surfaces, etc.

Easily removes oil spots, dirt, traces of insects, soot etc. It does not leave stains. It provides the surface gloss and antiglare and antistatic properties. It is safety for car's spare parts. It does not include harmful isopropyl alcohol, ethanol, acetone and sulfuric acid.

Expiration date: 3 years.

Pack size: 500 ml bottle with comfortable sprayer.



### INSECT REMOVER

Insect remover is a concentrated cleaning agent effectively removing organic substances and insect remains from glass and paintwork: provides a glossy finish without any smudges does not cause damage to treated parts, sealing or plastic, leaves a pleasant scent. Washes off the remains of insects a minute after application. Does not leave any traces or bright stains. Does not contain harmful substances, only organic solvents. The formula is gentle towards the car paint.

Shelf life: 5 years.

Pack size: 0,5L



### DE-ICER

The product quickly defrosts car glass, locks and moving parts of the car. Also it effectively remove oil spots, dust, soot, mineral oil. It could be used for all glass surface, window glass, mirror, chrome-plated surfaces etc. It does not leave stains. It provides the surface gloss. It is safety for car color.

Shelf life: 3 years.

Pack size: 500 ml bottle with comfortable sprayer.



### ANTI BITUM

Highly effective cleaner removes asphalt spots and effectively cleans external car surfaces. Removes bitumen, tar, oil, grease, waste lubricating materials and natural resins of different origin. The formula is gentle towards the car paint.

Shelf life: 5 years.

Pack size: 0,5L



### DASHBOARD POLISH

The product with a pleasant natural vanilla aroma. It is efficiently and carefully cleans and polish devices' panel of car, created protective layer on the surface, which prevents the sediment of dirt and dust. It provides a soft and glossy shine for panels and improves its appearance. The product based on water. It does not include harmful vapors and solvents. It contains UV filters. It is safety for varnish and paint coat.

Shelf life: 2 years.

Pack size: 500 ml bottle with comfortable sprayer.

PRODUCTION

TYPE OF PACK

1 PACK, ITEMS

CAR CARE GOODS TM EXOL, 500 ml

drawer

14



# FIRESTARTERS

COAL FIRESTARTERS TM EXOL HELPS EASILY AND QUICKLY IGNITE FLAME EVEN IF THE SOLID FUEL BECOMES WET. CREATED USING HIGH QUALITY MATERIALS IT IS ABSOLUTELY SAFETY. IT WILL NOT FLASH UNEXPECTEDLY AS A OPEN FLAME AND NOT EXPLODE.



## GEL FIRESTARTER

The modern gel FIRESTARTER rapidly and efficiently kindle flame without the help of any other tools (paper, dry spiritus). Gel formula provides more long burning, convenient and safe product's usage. It is used for coal kindle, fuel briquettes, firewood, other type of solid fuels in barbecues, fireplaces, etc. The process of burning is 2.5 times longer in compare with usage of liquid product. During the product's combustion the harmful carcinogenic substances are not formed.

Pack size: 250 ml and as a 500 ml bottle.



## LIQUID FIRESTARTER

LIQUID FIRESTARTER rapidly and efficiently kindle flame without the help of any other tools (paper, dry spiritus). It is used for coal kindle, fuel briquettes, firewood, other type of solid fuels in barbecues, fireplaces, etc. The process of burning is 2.5 times longer in compare with usage of liquid product. During the product's combustion the harmful carcinogenic substances are not formed.

Pack size: 250 ml and as a 500 ml bottle.

PRODUCTION	TYPE OF PACK	1 PACK, ITEMS	SHELF LIFE, YEAR
FIRESTARTER TM EXOL, 250 ml	drawer	32	3
FIRESTARTER TM EXOL, 500 ml	drawer	15	3

# CAR CHEMICALS FOR WASHERS

PROFESSIONAL CHEMICALS FOR CAR TM EXOL FOR CLASSIC AND MODERN GANTRY WASHERS HAS HIGH QUALITY, PRODUCTS' WIDE ASSORTMENT AND DIFFERENT CANISTERS FOR CONVENIENCE

- SHAMPOO
- POLISHES FOR PANELS AND TIRES
- BLACKENING WHEELS
- ACTIVE FOAM
- SALON CLEANER
- ANTIBITUM
- LIQUID WAX
- GLASS CLEANER



## ACTIVE FOAM

Concentrated product for portal washers intended for cars cleaning without contact, completely replaces the previously used autoshampoos. Also the concentrate could be used for wheel discs cleaning. Economic in usage. Depending on the necessity the product could be dissolved from 1:10 to 1:50. For the usage in domestic conditions from 1:3 to 1:6. It also could be applied through foam generator in 1:20-1:30.

The average dosage: 6-7 grams per car.

Shelf life: 5 years

Pack size: 10L, 20 L



## WAX-DRYER (CONCENTRATE)

Wax-dryer has a high water separating property, provides quick drying after washing the car. Makes the care surface dry, shining and without stains. After the drying invisible film creates on the surface, it facilitates the dirt to flow down. The agent has polishing and protected properties. Recommended concentration can be 1:100 or 1:200 (agent/water).

Shelf life: 5 years

Pack size: 5L, 10L



## TIRE POLYSH

The product for tires polishing restores, protects and provides natural color for rubber. It provides the rubber prevention and protects it from atmospheric and chemical exposure. To increase the efficiency the products should be used with sponge. The product's overage should be removed. The product could be used undissolved or it could be dissolved as 1:3 with water.

Shelf life: 5 years

Pack size: 5 L bottle with comfortable sprayer



## DASH BOARD POLYSH

DASH BOARD POLYSH with a pleasant natural vanilla aroma. It is efficiently and carefully cleans and polish panel of devices, created protective layer on the surface, which prevents the sediment of dirt and dust. It provides a soft and glossy shine for panels and improves its appearance.

The product could be used undissolved or it could be dissolved as 1:3 with water.

Shelf life: 2 years

Pack size: 5 L bottle with comfortable sprayer



## GLASS CLEANER

The liquid for cleaning windcreens, window, showcase glass, tiles, mirrors, chrome surfaces and so on, effectively removes fat stains, dirt, insect traces, soot, etc.

It adds gloss to the surfaces with no residue. It does not damage paint and varnish covering, products made of rubber and polycarbonate. The isopropyl alcohol hasn't been used as a component of product.

Shelf life: 5 years

Pack size: 5 L



## ANTI BITUM

Highly effective cleaner removes asphalt spots and effectively cleans external car surfaces. Removes bitumen, tar, oil, grease, waste lubricating materials and natural resins of different origin. It is easily remove even the obsolete polymerized pollution. The formula is gentle towards the car paint.

Shelf life: 5 years

Pack size 5L



